



#### -EDUCTION F Ν R RA S Ξ 0 E Т Т E Ξ 0 П R F

# **COMPANY PROFILE**





Our highly specialized team of engineers and skilled technicians design and realize turn key tailor made soundproofing systems, according to international standards and customer specifications.

CTM Ambiente S.r.l. established in 2001 (operating since

1994 as division of CTM S.p.A.), is a leading company in tailor made soundproofing systems for power plant, Oil & Gas,

CTM Ambiente S.r.I. has been certified by "Lloyd's Register Quality assurance" according to the Quality Management System Standard :





industrial and shipyard applications.




Lloyd's Register


Noise Reduction for a Better Life

# **ORGANIZATION CHART**





0 S



Noise Reduction for a Better Life

**OUR PRODUCTS ARE OPERATING IN:** 



Noise Reduction for a Better Life


TRUCTION OF SYSTEMS FOR NOISE CONTROL



# MARKETS APPLICATIONS

#### **POWER PLANTS**

- Gas & Steam Turbines
- Cogeneration



## OIL AND GAS

Gas compression stations
Refineries

Off-Shore platforms



Acoustical reclamation




# ACOUSTIC RECLAMATION

We can offer a wide range of acoustical solutions, including all the necessary engineering services and acoustic surveys in accordance to the main Standards and Regulations:

- Predictional acoustic calculations
- Measures campaign to define acoustic reclamation
- Environmental noise impact studies
- Acoustic maps
- Phonometric measures pre and post noise treatments Noise tests

Typical applications: Evaporative Towers, Refrigerating Groups,

CHP Plants, Power Plants, Manufacturing Departments, etc...





# TAILOR MADE ENCLOSURES

We are a leading company in design and manufacture of soundproofed enclosures tailor made designed, as required by the customer needs, from on base enclosures to acoustic buildings (that can contain a complete engine room).

It is also part of our supply the acoustical and structural project, fluid dynamics and lighting calculations data.



Starting screw compressor situation with noise level at 120 dB(A) ~







Final solution applied on the skid, noise reduction of 30 dB(A) ~

**Typical Applications:** Compressors, Gas Turbines, Steam Turbines, Endothermic Engines, Pumps, Compressors, Gas Regulation Valves, etc...



# ENCLOSURES AND BUILDINGS







Usually soundproofed enclosures are composed by a supporting structure and panels, that allows an easy disassembly and full access to the machine in case of any needs.

The noise produced by the units is reduced by the **enclosure** that surrounds the source of the noise, **limiting the diffusion of acoustic waves.** 



The enclosures have also some important functions such as:

Dissipation of the heat produced inside;
Protection of the machine from external agent;
Support for auxiliary devices (crane, ventilation system, etc ...)



## TAILOR MADE ENCLOSURES

### Some examples of our recent applications :



Tailormadeenclosureoncompressor, for oil and gas plant,40 dba final noise reduction







## TAILOR MADE ENCLOSURES

#### Some examples of our recent applications :





EU





Silencers are our specialty, from the ones for boiler exhausts ducts, gas turbines and industrial engines, to the ones for fans or ventilation plants for civil and naval purposes.

Our silencers solutions are also designed for vent to atmosphere, for steam and compressed gas, as air, methane or nitrogen applications.

We have designed and supplied silencers for the most important and luxurious passenger ships and greatest yacht.



**Typcal applications:** Power Plants, CHP plants, Gas Compression Stations, Marine Engines, UPS, etc...


Noise Reduction For a Better Life



# SILENCERS

#### Some examples of our recent applications :







Blow off silencers painted



Engine silencers completely made in stainless steel.



Dissipative silencers with splitters in St St. Aisi 316 for compressor



# SILENCER (ENGINE EXHAUST)

Our reliable tailor made silencers solutions can be divided into two main types .

The first, the **reactive** type, relies on a tuned element in general of more use for fixed speed machinery producing pure tones, where the second, the **dissipative** type, is an untuned frictional device converting acoustic energy into heat. Attenuators working in the first way tend to be more effective at low frequency absorption than the second type. When pressure loss is the key factor, it is also possible to use **side branch resonators**, which can take the form of Helmholtz resonators.



### Typical silencer attenuations:

Reactive (frequency range: 20Hz - 250Hz): ~10-15 dBA Dissipative (simple): ~ 15 dBA Dissipative (high performance): ~ 25 dBA Dissipative + Reactive in sequence: > 35 dBA.



# SOME INSTALLATIONS AND CUSTOMERS

ALGERIA Sonatrach Sonelgaz AUSTRALIA KJV Woodside Energy Ltd. BAHRAIN Gulf Petrochemical Industries BRASIL Petrobras CHILE Posco E&C GREECE Edison FRANCE Arcelor EGYPT Spanish Egyptian Gas Union Fenosa Sas IRAN MAPNA NIOC PDEC TUGA KAZAKHSTAN Agip KCO

TTAI Y Ansaldo AEM/A2A Bosch Caterpillar Cummins Edison ENEL Endesa ENI Group Exxon Mobil Fincantieri **GE Nuovo Pignone** Ingersoll Rand Ind. Cartarie Tronchetti Group Renco Siemens Termigas **Tirreno Power** 

KINGDOM OF SAUDI ARABIA Saline Water Conversion Corporation Petro Rabigh Saudi Aramco Oil Company Shuaibah Water and Electricity Compay

Kuwait Oil Company KNPC LIBYA Agip North Africa Agip Green Stream

SPAIN Enagas Repsol Viesgo

NIGERIA NLNG Daewoo-SHELL

NORWAY Statoil

**OMAN** Qalhat LNG S.A.O.C.

**QATAR** Qatar gas

**RUSSIA** SEIC- Sakhalin OJSC Power Machine

SYRIA Al Furath Petroleum Co.

VIETNAM Petrovietnam



# Some of our main customers



