

MONSTERTM

MOTION SAFETY

WARNING WHIPS PRODUCT LINE CATALOG





In 1987 Checkers Safety Group® began with a simple vision: design and engineer the highest quality industrial safety products to provide effective safety solutions. That vision still drives Checkers today. With our product offerings of Cable/Hose Protection Systems, Wheel Chocks, Warning Whips, Warning and Safety Lights, and more, Checkers creates unique solutions for our customers. Having the opportunity to serve a diverse number of customers and markets for over 29 years has provided us the knowledge and insight to ensure every one of our customers' needs is satisfied. Through our commitment to innovation and excellence Checkers is poised to continue to serve as your leading global provider of industrial safety products.

Checkers Safety Group® is headquartered in Broomfield, Colorado, U.S.A. with another manufacturing and support facility located in Mesa, Arizona. Each of our products is proudly produced in the United States. We take pride in providing the highest quality product at the best possible price. Our products are sold worldwide into many diverse markets. Checkers is proud to serve you and we thank you for your business.



OUR VISION

**A DYNAMIC GLOBAL TEAM
DEDICATED TO PROTECTING
LIVES, ASSETS AND THE
ENVIRONMENT.**



MARKETS SERVED

- Mining
- Oil and Gas
- Military
- Entertainment
- Power Generation
- Construction
- Utilities
- Manufacturing
- Material Handling
- Industrial
- Aviation
- Government
- Traffic Safety
- Automotive
- Landscaping
- Tree Care

CHECKERS IS A MEMBER OF & PROUDLY SUPPORTS THE FOLLOWING ASSOCIATIONS



MONSTER WARNING WHIPS

- Designed with safety managers and industry experts to provide the highest level of visibility and reliability in any weather or working condition
- Premium fiberglass resin backed by a 5-year guarantee
- 3, 5, 6, 8, 10 or 12 foot lengths available



INDUSTRIAL STRENGTH WARNING WHIPSTM

THE BEST WHIPS AVAILABLE. Monster Motion SafetyTM continually works with safety managers and industry experts to design warning whip products and accessories that provide the highest level of visibility and reliability in any weather or working condition.

MONSTER INDUSTRIAL STRENGTH WARNING WHIPSTM are constructed with a premium fiberglass resin to ensure the highest performance in any condition. Available in 3, 5, 6, 8, 10 or 12 foot lengths, these whips include a threaded hex base for vehicle attachment and either a heavy duty Day BrightTM fluorescent orange,

green, or yellow flag to help identify vehicles, equipment, or important locations at work sites.

We offer a variety of base mounts, including Threaded Hex Base, Quick Disconnect Base and Lock Pin Base (only available on the telescoping pole). You have your choice of lighted or non-lighted whips, with various lighting and mounting options available as accessories. Monster Warning WhipsTM are engineered to handle the harshest conditions at mines, construction sites, and other industrial applications.

LIGHTED WARNING WHIPS

HEAVY DUTY WHIPS

- Includes 18 in. pigtail, heavy duty Day BrightTM fluorescent nylon mesh flag with 3M[®] Scotchlite[®] reflective X, choice of lighting option, threaded hex base, and heavy duty spring mounting base
- High-quality power cable runs continuously from lamp through hex base
- Various flag color and lighting options
- Highly durable and resistant whips

ALL PURPOSE WHIPS

- Includes two conductor waterproof hot plug with 12 in. pigtail, heavy duty Day BrightTM fluorescent nylon mesh flag with or without 3M[®] Scotchlite[®] reflective X, Rocket II Super Bright Waterproof LED light, and stainless steel threaded hex base
- New waterproof LED light socket
- The strongest whip in the industry

GENERAL PURPOSE WHIPS

- Includes single conductor hot plug with 12 in. pigtail, heavy duty Day BrightTM fluorescent nylon mesh flag with or without 3M[®] Scotchlite[®] reflective X, fiberglass whip, lamp socket, and threaded hex base mount
- Heavy duty wiring reduces shorts caused by extreme temperatures
- Various flag color and lighting options
- Various models - including quick disconnect base and telescoping poles

NON-LIGHTED WARNING WHIPS

GENERAL PURPOSE WHIPS

- Includes heavy duty Day BrightTM fluorescent nylon mesh flag with or without 3M[®] Scotchlite[®] reflective X, fiberglass whip, and threaded hex base. Various flag colors available.
- Various models - including quick disconnect base & telescoping poles

LIGHT DUTY WHIPS

- Includes orange nylon-mesh flag, and 7-foot non-lighted fiberglass whip with threaded hex base mount
- Various whip colors available

CHOOSING THE RIGHT MODEL

LIGHTED



LIGHTING OPTIONS*

Various colors and styles of lighting are available. Choose the combination that fits your application.

*Sold separately, except for Heavy Duty Whips

FLAG STYLE

When selecting your warning whip, be sure to specify your desired flag size, color, and whether you would like a 3M[®] Scotchlite[®] reflective X on your flag.

WHIP LENGTH

Whip lengths vary. Choose the correct whip length to fit the requirements necessary for your application.

WHIP BASE

Various Warning Whip base options and mounting accessories are available. Select the correct warning whip base depending upon your specific need.

NON-LIGHTED



*Non-Lighted Warning Whips: Mounting accessories sold separately


*Lighted Warning Whips: Lighting options and mounting accessories sold separately. Lighting option included with Heavy Duty Whips.

ADVANTAGES OF USING MONSTER WARNING WHIPSTM

- We manufacture the most popular warning whips in the highly-demanding mining industry
- Monster Warning WhipsTM are assembled at company headquarters in Broomfield, Colorado
- Lighted and non-lighted whips available with a wide selection of lighting and mounting options
- Extensive product and accessory assortment allows for customization to meet your precise needs
- Manufactured with a premium fiberglass resin creating the strongest whip in the industry
- Premium fiberglass resin is coated with a 3-5 year finish preventing fiberbloom or exposed fiberglass slivers
- Includes heavy duty Day BrightTM fluorescent nylon mesh flag with 3M[®] Scotchlite[®] reflective X (available in orange, green and yellow)


MONSTER WARNING WHIPSTM REFERENCE GUIDE

LIGHTED WHIPS



Type of Whip	Super Whip Heavy Duty Whip	All Purpose Waterproof Whip	Traditional Hex Base	Telescoping Pole	Quick Disconnect Base	Split Pole W/ Quick Disconnect Base
Lengths Available (ft.)	12, 10, 8, 6, 5, 3 ft.	12, 10, 8, 6, 5, 3 ft.	12, 10, 8, 6, 5, 3 ft.	21, 15, 13, 10, 8 ft.	12, 10, 8, 6, 5, 3 ft.	12, 10, 8 ft.
Page Number	Page 31	Page 32	Page 34	Page 38	Page 39	Page 39

NON-LIGHTED WHIPS



Type of Whip	Super Heavy Duty Whip	All Purpose Waterproof Whip	Traditional Hex Base	Telescoping Pole	Quick Disconnect Base	Split Pole W/ Quick Disconnect Base
Lengths Available (ft.)	12, 10, 8, 6, 5, 3 ft.	21, 15, 13, 10, 8 ft.	12, 10, 8, 6, 5, 3 ft.	12, 10, 8 ft.	7 ft.	12, 10, 8 ft.
Page Number	Page 31	Page 32	Page 40	Page 40	Page 41	Page 41



SUPER WHIP HEAVY DUTY LIGHTED WARNING WHIPS™

with stainless steel threaded mounting base

SUPER WHIP HEAVY DUTY LIGHTED WARNING WHIPS™ with stainless steel threaded mounting base are designed without a lamp socket connection to eliminate failures often caused by socket corrosion.



Super Whip Heavy Duty Lighted Warning Whips™ include a sealed electrical connection with 18 in. pigtail, premium fiberglass resin whip, Heavy Duty Day Bright™ Florescent orange flag with yellow 3M® Scotchlite® reflective X, and a ultra heavy duty spring mount. These whips are wired with a high quality power cable that is integrated directly into the whips, which eliminates potential breaks to the internal wires. They also include a polyolefin heat-shrink tubing to contain the fiberglass and prevent personal injury from fiberglass deterioration or fractures in the fiberglass whip. Super Whip Heavy Duty Lighted Warning Whips™ are engineered with a cold temperature rating of -75° C/-103° F.

Super Whip Heavy Duty Lighted Warning Whips™ are available in 3, 5, 6, 8, 10 or 12 foot lengths and come with a solid amber 12 LED light and a 12 in. x 11 in. orange nylon mesh flag with a yellow 3M® Scotchlite® reflective X.

- 3, 5, 6, 8, 10 or 12 foot lengths
- Includes heavy duty spring mount
- Heavy Duty Day Bright™ Florescent orange nylon mesh flag with yellow 3M® Scotchlite® reflective X
- Whip constructed of premium fiberglass resin
- High-quality continuous power cable from light to base

Model Numbers For Super Whip Heavy Duty Lighted Warning Whips™

(Includes Chrome Plated Heavy Duty Spring Mount With 18 in. Pigtail, Flag, 12 Led Amber Light)

Type of Flag		12" x 11" w/x
		
Pole Length	12 ft.	SW12
	10 ft.	SW10
	8 ft.	SW8
	6 ft.	SW6
	5 ft.	SW5
	3 ft.	SW3
STANDARD FLAG COLOR: 12 IN. X 11IN. ORANGE FLAG AND YELLOW 3M® SCOTCHLITE® REFLECTIVE X		

For accessories, replacement parts and lighting options, see pages 43-47.



12-24 Volt, 12
Amber LED Light

Sealed electrical
connection

Heavy
Duty Day
Bright™
Florescent
orange nylon
mesh flag with
yellow 3M®
Scotchlite®
reflective X

Continuous power cable
from LED to mounting base

Polyolefin heat
shrink tubing to prevent
fiberglass deterioration and fractures
from top to bottom

Sealed
Base

Stainless
Steel Mounting
Base

Ultra Heavy
Duty Zinc
Plated Spring
Mount

Pigtail Extends
18 in. from
Spring Mount



ALL-PURPOSE LIGHTED WARNING WHIPSTM WITH PIGTAIL

featuring waterproof sealed lamp socket, hex base, and spring mount with continuous pigtail

ALL-PURPOSE LIGHTED WARNING WHIPSTM WITH PIGTAIL are constructed from a premium fiberglass resin (available in 3, 5, 6, 8, 10 or 12 foot lengths) and includes a heavy duty Day BrightTM fluorescent nylon mesh flag with 3M[®] Scotchlite[®] reflective X in orange, green or yellow, and threaded ultra heavy duty spring mount for vehicle attachment. Various interchangeable lights are available as options. Delivered fully assembled and ready for installation.

To prevent deterioration, a weather-resistant, polyolefin heat-shrink tubing is used to seal the interchangeable lamp socket to prevent moisture, chemicals, and debris from contacting electrical connectors. The hex base is also sealed to provide additional protection.

For improved durability, All-Purpose Lighted Warning WhipsTM With Pigtail feature a high quality, continuous power cable that extends from the lamp through the hex base and heavy duty spring mount. This eliminates pinched wires, multiple solder joints, and hot plug power connections - all of which can cause failure due to corrosion. The custom designed power cable is molded into the whip and consists of 2 conductors, 20 AWG, 19 x 32 strand, triple-coated thermoplastic elastomer (TPE) insulation and features a cold temperature rating of -75° C/-103° F.

All-Purpose Warning WhipsTM have a 5-year guarantee against fiberglass deterioration known as fiberbloom or exposed fiberglass slivers.

- 3, 5, 6, 8, 10 or 12 foot lengths available
- Sealed connections prevent corrosion & deterioration
- Interchangeable light options
- Premium fiberglass resin backed by a 5-year guarantee not to fiberbloom or expose fiberglass slivers
- -75° C/-103° F temperature rating of power cable



For accessories, replacement parts and lighting options, see pages 43-47.

12-24 Volt Sealed Lamp Socket

Heavy Duty Day BrightTM fluorescent nylon mesh flag with 3M[®] Scotchlite[®] reflective X

Continuous power cable extends from the lamp through the entire whip and exits through the heavy duty spring mount

Ultra Heavy Duty Spring Mount

Continuous power cable extends 18" from spring mount

Comes standard with Ultra Heavy Duty Spring Mount

Formerly Gorilla Warning Whips

BUILD YOUR OWN ALL-PURPOSE LIGHTED WARNING WHIP™ WITH PIGTAIL

To build your own ALL-PURPOSE LIGHTED WARNING WHIP™ WITH PIGTAIL, create a custom part number by selecting one code from each column below and transfer that code to the black lines below the arrows.


A: Whip Length	B: Flag Size	C: Flag Color	D: Reflexite X Color	E: Lighting Options	F: Base Type
3	12	O	W	4	Pigtail
5	16	G	Y	5	
6	NF	Y	N	6	
8				7	
10				8	
12				9	
				10	
				11	
				12	
				13	
				14	
				15	
				16	
				17	
				18	
				19	




PART NUMBER | **AP** _____ **PT**

ROCKET SUPER BRIGHT LED LIGHTS

for All-Purpose Lighted Warning Whip™ with Pigtail



GLO-WORM™ LIGHTS



A: Whip Length	3, 5, 6, 8, 10, or 12 ft. Whip
B: Flag Size	12 = 12 in. x 11 in. 16 = 16 in. x 16 in. NF = No Flag
C: Flag Color	O = Orange G = Green Y = Yellow
D: Reflexite X Color	W = White Reflective X Y = Yellow Reflective X N = No X
E: Lighting Options	4 = White Flashing LED 5 = White LED 6 = Blue Flashing LED 7 = Blue LED 8 = Amber Flashing LED 9 = Amber LED 10 = Red Flashing LED 11 = Red LED 12 = Green Flashing LED 13 = Green LED 15 = White Glo-Worm 16 = Amber Glo-Worm 17 = Red Glo-Worm 18 = Blue Glo-Worm 19 = Green Glo-Worm
F: Base Type	PT = PIGTAIL

F

ALL-PURPOSE LIGHTED WARNING WHIPSTM WITH RCA PLUG

featuring waterproof sealed lamp socket, hex base,
and RCA with spring mount option

ALL-PURPOSE LIGHTED WARNING WHIPSTM WITH RCA PLUG feature stainless steel components sets the new standard for weather resistance in any working conditions. With multiple patent-pending features, these whips are ideal for extreme weather conditions such as coastal areas, corrosive environments, salt mines, and areas with high humidity.

- 3, 5, 6, 8, 10 or 12 foot lengths available
- Rocket II Super Bright Waterproof LED Lights are up to 10 times brighter than competing brands
- Multiple patent-pending features
- Most weather-resistant whip on the market
- -75° C/-103° F temperature rating of power cable
- Includes a two conductor waterproof hot plug with 12 in. pigtail, heavy duty Day BrightTM fluorescent nylon mesh flag with or without 3M[®] Scotchlite[®] reflective X, New Rocket II Super Bright Waterproof LED light
- Patent-pending waterproof LED light socket
- Rocket II Super Bright Waterproof LED comes standard with 9 changeable light modes, 7 flash patterns and steady on or off, which provides a "one light fits all" solution
- Premium fiberglass resin creates the strongest whip in the industry
- Improved, patent-pending internal ground connection that helps eliminate power failures
- Patent-pending waterproof hot plug connection with two conductor 12 in. pigtail
- Internal wire is industrial grade and meets Military Spec MIL-W-16878
- Optional stainless steel, powered spring mount available
- Can withstand 12-24 Volts

Features stainless steel components.
Ideal for extreme weather conditions such
as coastal areas, corrosive environments,
salt mines, and areas with high humidity.

For accessories, replacement parts and lighting
options, see pages 43-47.




BUILD YOUR OWN ALL-PURPOSE LIGHTED WARNING WHIP™ WITH RCA PLUG

To build your own ALL-PURPOSE LIGHTED WARNING WHIP™ WITH RCA PLUG, create a custom part number by selecting one code from each column below and transfer that code to the black lines below the arrows.


A: Whip Length	B: Flag Size	C: Flag Color	D: Reflexite X Color	E: LED Light Color	F: Number of LEDs	G: Spring Option
3 5 6 8 10 12 ↓	12 16 ↓	O G Y ↓	W Y ↓	A AF B BF G GF R RF W WF ↓	4 ↓	SS ↓

PART NUMBER | **AP** ____ . ____ . ____ . ____ . ____ . **4** ____




ROCKET II SUPER BRIGHT LED WHIP LIGHTS

for All-Purpose Lighted Warning Whips™ with RCA Plug



A: Whip Length	3, 5, 6, 8, 10, or 12 ft. Whip
B: Flag Size	12 = 12 in. x 11 in. 16 = 16 in. x 16 in.
C: Flag Color	O = Orange G = Green Y = Yellow
D: Reflexite X Color	W = White Reflective X Y = Yellow Reflective X
E: LED Light Colors	A = Amber LED AF = Amber Flashing LED B = Blue LED BF = Blue Flashing LED G = Green LED GF = Green Flashing LED R = Red LED RF = Red Flashing LED W = White LED WF = White Flashing LED
F: Number of LEDs	Set of 4 LEDs

FLASH PATTERNS FOR ROCKET II SUPER BRIGHT LED WHIP LIGHTS




Light patterns are easy to program with remote control (Part #FLREMOTE).

ALL-PURPOSE LED WRAPPED LIGHTED WARNING WHIPTM

featuring LED wrapped whip, waterproof sealed lamp socket, hex base, and RCA with spring mount option

ALL-PURPOSE LED WRAPPED LIGHTED WARNING WHIPTM with stainless steel components sets the new standard for high visibility performance in any working conditions. With multiple patent-pending features, these whips are ideal for applications such as mining, industrial, oil and gas, and off road vehicles such as ATV's.

- LED-wrapped whip covered with clear heat-shrink
- 3, 5, 6, 8 or 10 foot lengths available
- Rocket II Super Bright Waterproof LED Lights are up to 10 times brighter than competing brands
- Most weather-resistant whip on the market
- -75° C/-103° F temperature rating of power cable
- Whip wrapped with LED lights and covered with clear heat shrink for water-resistant protection
- LED's come in white, amber or blue
- Includes a two conductor waterproof hot plug with 12 in. pigtail, heavy duty Day BrightTM fluorescent nylon mesh flag with or without 3M[®] Scotchlite[®] reflective X, New Rocket II Super Bright Waterproof LED light
- New patent-pending waterproof LED light socket
- Rocket II Super Bright Waterproof LED comes standard with 9 changeable light modes, 7 flash patterns and steady on or off, which provides a "one light fits all" solution
- Premium fiberglass resin creates the industry's strongest whip
- Improved, patent-pending internal ground connection that helps eliminate power failures
- Patent-pending waterproof hot plug connection with two conductor 12 in. pigtail
- Optional stainless steel, powered spring mount available
- Can withstand 12 Volts
- Features stainless steel components
- Increased night visibility



LED WRAPPED WHIP



Stainless Steel Mounting Base

Waterproof Power Connection

For accessories, replacement parts and lighting options, see pages 43-48.

Formerly Cyclone Lighted Whips

BUILD YOUR OWN ALL-PURPOSE LED WRAPPED LIGHTED WARNING WHIP™


To build your own ALL-PURPOSE LED WRAPPED LIGHTED WARNING WHIP™, create a custom part number by selecting one code from each column below and transfer that code to the black lines below the arrows.

A: Whip Light Wrap Color	B: Whip Length	C: Flag Color	D: Reflexite X Color	E: LED Light Color	F: Spring Option
A W B	3 5 6 8 10	O G Y	W Y	A AF B BF G GF R RF W WF	SS (Leave blank if you do not want the Spring mount)
↓	↓	↓	↓	↓	↓

PART NUMBER | **FSLED**


ROCKET II SUPER BRIGHT LED WHIP LIGHTS

for All-Purpose LED Wrapped Lighted Warning Whips™



A: Whip Light Wrap Color	A = Amber W = White B = Blue
B: Whip Length	3, 5, 6, 8, or 10 ft. Whip
C: Flag Color	O = Orange G = Green Y = Yellow
D: Reflexite X Color	W = White Reflective X Y = Yellow Reflective X
E: LED Light Colors	A = Amber LED AF = Amber Flashing LED B = Blue LED BF = Blue Flashing LED G = Green LED GF = Green Flashing LED R = Red LED RF = Red Flashing LED W = White LED WF = White Flashing LED
F: Spring Options	Only put SS in the part number if you are ordering with a Stainless Steel Spring Mount

FLASH PATTERNS FOR ROCKET II SUPER BRIGHT LED WHIP LIGHTS



Light patterns are easy to program with remote control (Part #FLREMOTE).

THREADED HEX BASE GENERAL PURPOSE LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE LIGHTED SAFETY WHIPS WITH THREADED HEX BASE include a hot plug with 12 in. pigtail, heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and your choice of base mount. The heavy duty wiring in these whips helps to reduce shorts caused by extreme temperatures and conditions. Individual lights must be bought separately. Threaded Hex Base Warning Whips are available in 3, 5, 6, 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.

- 3, 5, 6, 8, 10 or 12 foot lengths
- Hot plug with 12 in. pigtail
- Wide variety of lighting options
- Orange, green or yellow heavy duty Day Bright™ fluorescent nylon mesh flag with or without X
- Whip constructed from premium fiberglass resin

For accessories, replacement parts and lighting options, see pages 43-47.

Model Numbers For Threaded Hex Base Lighted Whips

Includes Mounting Base, Lamp Socket and Hot Plug with 12 in. Pigtail

Type of Flag		12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	Triangle	No Flag
Pole Length	12 ft.	FS12L*	FS12XL*	FS12L-16*	FS12XL-16*	FS12L-T*	FS12L-NF
	10 ft.	FS10L*	FS10XL*	FS10L-16*	FS10XL-16*	FS10L-T*	FS10L-NF
	8 ft.	FS8L*	FS8XL*	FS8L-16*	FS8XL-16*	FS8L-T*	FS8L-NF
	6 ft.	FS6L*	FS6XL*	FS6L-16*	FS6XL-16*	FS6L-T*	FS6L-NF
	5 ft.	FS5L*	FS5XL*	FS5L-16*	FS5XL-16*	FS5L-T*	FS5L-NF
	3 ft.	FS3L*	FS3XL*	FS3L-16*	FS3XL-16*	FS3L-T*	FS3L-NF

* SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow



TELESCOPING POLE GENERAL PURPOSE LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE LIGHTED SAFETY WHIPS WITH TELESCOPING POLE are adjustable length whips that extend to 8, 10, 13, 15, and 21 feet. These whips are divided into sections that are connected by Cam-Locks. To adjust the whip length, simply flip the handle up on the Cam-Lock to loosen, extend the section(s) to desired length, and then flip down the handle on the cam-lock to tighten. This easy-to-use systems allows you to quickly remove a whip and break it down into a manageable size that can be easily stored in a vehicle.

With a high-visibility flag and light, these warning whips provide easy identification of other vehicles, equipment, and important sites in your area. Telescoping pole whips feature a painted white fiberglass pole that protects against fiber bloom and a heavy duty Day Bright™ fluorescent nylon mesh flag with a 3M® Scotchlite® reflective X. This system requires a Hitch Mount or Flat Mount for vehicle attachment. Lighted models feature lamp socket, a superior coiled wire that easily extends and retracts without pinching or binding, and a water-resistant, easy-lock hot plug with 12 in. pigtail for power connection.

- 8, 10, 13, 15 or 21 foot lengths
- Water resistant, easy-lock, hot plug with 12 in. pigtail
- Adjusts quickly with cam-locks
- Coiled wire extends and retracts without binding
- Whip constructed with premium fiberglass resin
- Comes with orange flag with white reflective X

Model Numbers For Telescoping Pole Lighted Whips

Includes Coiled Wire Power Cord, Heavy Duty Easy-Lock Hot Plug and 12 in. Pigtail

Model		Description
Pole Length	21 ft.	TPCWHP21XL-16-O 21 ft. Pole Collapsed Length: 118 in.
	15 ft.	TPCWHP15XL-16-O 15 ft. Pole Collapsed Length: 94 in.
	13 ft.	TPCWHP13XL-16-O 13 ft. Pole Collapsed Length: 92 in.
	10 ft.	TPCWHP10XL-16-O 10 ft. Pole Collapsed Length: 77 in.
	8 ft.	TPCWHP8XL-16-O 8 ft. Pole Collapsed Length: 62 in.

FLAG COMES STANDARD WITH 16 IN. X 16 IN. ORANGE FLAG AND WHITE 3M® SCOTCHLITE® REFLECTIVE X



EASY-TO-USE CAM-LOCKS

For accessories, replacement parts and lighting options, see pages 43-47.

QUICK DISCONNECT BASE GENERAL PURPOSE LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE LIGHTED SAFETY WHIPS WITH QUICK DISCONNECT BASE include a heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and male disconnect base (female base must be purchased separately). Heavy duty wiring helps reduce shorts caused by extreme conditions. Individual lights must be bought separately.

- 3, 5, 6, 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Wide variety of lighting options
- Choose from heavy duty orange, green or yellow flag
- Whip constructed of premium fiberglass resin
- Quick Disconnect Base has stainless steel components

Model Numbers For Quick Disconnect Base Lighted Whips

Includes Male Quick Disconnect Mounting Base, Lamp Socket and Hot Plug with 12 in. Pigtail
(Female quick disconnect base mount must be purchased separately.)

Type of Flag		12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag
Pole Length	12 ft.	FS12L-QD*	FS12XL-QD*	FS12L-16-QD*	FS12XL-16-QD*	FS12L-QD-NF
	10 ft.	FS10L-QD*	FS10XL-QD*	FS10L-16-QD*	FS10XL-16-QD*	FS10L-QD-NF
	8 ft.	FS8L-QD*	FS8XL-QD*	FS8L-16-QD*	FS8XL-16-QD*	FS8L-QD-NF
	6 ft.	FS6L-QD*	FS6XL-QD*	FS6L-16-QD*	FS6XL-16-QD*	FS6L-QD-NF
	5 ft.	FS5L-QD*	FS5XL-QD*	FS5L-16-QD*	FS5XL-16-QD*	FS5L-QD-NF
	3 ft.	FS3L-QD*	FS3XL-QD*	FS3L-16-QD*	FS3XL-16-QD*	FS3L-QD-NF

* SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow

For accessories, replacement parts and lighting options, see pages 43-47.



SPLIT POLE AND QUICK DISCONNECT BASE GENERAL PURPOSE LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE SPLIT POLE LIGHTED SAFETY WHIPS have a Quick Disconnect connection in the center so they can be broken down into smaller pieces for storage in a toolbox, trunk or truck. Bottom half has a Male Quick Disconnect for quick vehicle detachment, when paired with a Female Quick Disconnect Base Mount or Hitch Mount (must be purchased separately). Lights must be bought separately. Available in 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.


- 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Easily breaks down into smaller sections
- Choose from heavy duty orange, green or yellow flag
- Wide variety of lighting options
- Whip constructed of premium fiberglass resin

Model Numbers For Split Pole Base Lighted Whips

Includes Male Quick Disconnect Mounting Base, Lamp Socket and Hot Plug with 12 in. Pigtail
(Female quick disconnect base mount must be purchased separately.)

Type of Flag		12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag
Pole Length	12 ft.	FS12L-SPQD*	FS12XL-SPQD*	FS12L-16-SPQD*	FS12XL-16-SPQD*	FS12L-SPQD-NF
	10 ft.	FS10L-SPQD*	FS10XL-SPQD*	FS10L-16-SPQD*	FS10XL-16-SPQD*	FS10L-SPQD-NF
	8 ft.	FS8L-SPQD*	FS8XL-SPQD*	FS8L-16-SPQD*	FS8XL-16-SPQD*	FS8L-SPQD-NF

* SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow



For accessories, replacement parts and lighting options, see pages 43-47.



THREADED HEX BASE GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS WITH THREADED HEX BASE include a heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X, premium fiberglass resin whip, and your choice of base mount. Threaded Hex Base Warning Whips are available in 3, 5, 6, 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.

- 3, 5, 6, 8, 10, or 12 foot lengths
- Heavy duty Day Bright™ fluorescent nylon mesh flag with or without 3M® Scotchlite® reflective X
- Flags available in orange, green or yellow
- Whip constructed of premium fiberglass resin
- Hitch mount available


For accessories, replacement parts and lighting options, see pages 43-47.

Model Numbers or Threaded Hex Base Non-Lighted Whips

Includes Mounting Base and Flag

Type of Flag		12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	Triangle	No Flag
Pole Length	12 ft.	FS12*	FS12X*	FS12-16*	FS12X-16*	FS12-T*	FS12-NF
	10 ft.	FS10*	FS10X*	FS10-16*	FS10X-16*	FS10-T*	FS10-NF
	8 ft.	FS8*	FS8X*	FS8-16*	FS8X-16*	FS8-T*	FS8-NF
	6 ft.	FS6*	FS6X*	FS6-16*	FS6X-16*	FS6-T*	FS6-NF
	5 ft.	FS5*	FS5X*	FS5-16*	FS5X-16*	FS5-T*	FS5-NF
	3 ft.	FS3*	FS3X*	FS3-16*	FS3X-16*	FS3-T*	FS3-NF

*SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow



TELESCOPING POLE GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS WITH TELESCOPING POLE are adjustable length whips that extend to 8, 10, 13, 15 and 21 feet. These whips are divided into sections that are connected by cam-Locks. To adjust the whip length, simply flip the handle up on the cam-lock to loosen, extend the section(s) to desired length, and then flip down the handle on the cam-lock to tighten. This easy-to-use systems allows you to quickly remove a whip and break it down into a manageable size that can be easily stored in a vehicle.

With a high-visibility flag, these warning whips provide easy identification of other vehicles, equipment, and important sites in your area. Telescoping pole whips feature a painted white fiberglass pole that protects against fiber bloom and a heavy duty Day Bright™ fluorescent nylon mesh flag with a 3M® Scotchlite® reflective X. This system requires a Hitch Mount for vehicle attachment.

- 8, 10, 13, 15 or 21 foot lengths
- Tallest flag in the All-Purpose® line
- Adjusts quickly with cam-locks
- Heavy duty orange Day Bright™ fluorescent nylon mesh flag with 3M® Scotchlite® reflective X
- Whip constructed of premium fiberglass resin

Model Numbers For Telescoping Pole Non-Lighted Whips

Includes Orange Flag with White Reflexite X

		Model	Description
Pole Length	21 ft.	TP21X-16-O	21 ft. Pole Collapsed Length: 118 in.
	15 ft.	TP15X-16-O	15 ft. Pole Collapsed Length: 9 in.
	13 ft.	TP13X-16-O	13 ft. Pole Collapsed Length: 92 in.
	10 ft.	TP10X-16-O	10 ft. Pole Collapsed Length: 77 in.
	8 ft.	TP8X-16-O	8 ft. Pole Collapsed Length: 62 in.

FLAG COMES STANDARD WITH 16 IN. X 16 IN. ORANGE FLAG AND WHITE 3M® SCOTCHLITE® REFLECTIVE X



EASY-TO-USE
CAM-LOCKS

For accessories, replacement parts and lighting options, see pages 43-47.

QUICK DISCONNECT BASE GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS

MONSTER GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS WITH QUICK DISCONNECT BASE include a heavy duty Day BrightTM fluorescent nylon mesh flag with or without 3M[®] Scotchlite[®] reflective X, premium fiberglass resin whip, and male disconnect base (female base must be purchased separately). Available in 3, 5, 6, 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.






- 3, 5, 6, 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Includes Debris Cap to keep unconnected base clean
- Choose from heavy duty orange, green or yellow flag
- Whip constructed of premium fiberglass resin
- Quick Disconnect Base has stainless steel components

For accessories, replacement parts and lighting options, see pages 43-47.


Model Numbers For Quick Disconnect Base Non-Lighted Whips

Includes Male Quick Disconnect Mounting Base

(Female quick disconnect base mount must be purchased separately.)

Type of Flag		12" x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag
						
Pole Length	12 ft.	FS12-QD*	FS12X-QD*	FS12-16-QD*	FS12X-16-QD*	FS12-QD-NF
	10 ft.	FS10-QD*	FS10X-QD*	FS10-16-QD*	FS10X-16-QD*	FS10-QD-NF
	8 ft.	FS8-QD*	FS8X-QD*	FS8-16-QD*	FS8X-16-QD*	FS8-QD-NF
	6 ft.	FS6-QD*	FS6X-QD*	FS6-16-QD*	FS6X-16-QD*	FS6-QD-NF
	5 ft.	FS5-QD*	FS5X-QD*	FS5-16-QD*	FS5X-16-QD*	FS5-QD-NF
	3 ft.	FS3-QD*	FS3X-QD*	FS3-16-QD*	FS3X-16-QD*	FS3-QD-NF
* SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow						

*SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow



SPLIT POLE AND QUICK DISCONNECT BASE GENERAL PURPOSE NON-LIGHTED SAFETY WHIPS






MONSTER GENERAL PURPOSE SPLIT POLE LIGHTED SAFETY WHIPS have a Quick Disconnect connection in the center so they can be broken down into smaller pieces for storage in a toolbox, trunk or truck. Bottom half has a Male Quick Disconnect for quick vehicle detachment, when paired with a Female Quick Disconnect Base Mount or Hitch Mount (must be purchased separately). Available in 8, 10 or 12 foot lengths and your choice of an orange, green, or yellow flag.

- 8, 10 or 12 foot lengths
- Quickly attach or detach from vehicle
- Easily breaks down into smaller sections
- Choose from heavy duty orange, green or yellow flag
- Whip constructed of premium fiberglass resin
- Hitch mounts available


Model Numbers For Split Pole Base Non-Lighted Whips

Includes Male Quick Disconnect Mounting Base

(Female quick disconnect base mount must be purchased separately.)

Type of Flag		12"x 11"	12" x 11" w/x	16" x 16"	16" x 16" w/x	No Flag
						
Pole Length	12 ft.	FS12-SPQD*	FS12X-SPQD*	FS12-16-SPQD*	FS12X-16-SPQD*	FS12-SPQD-NF
	10 ft.	FS10-SPQD*	FS10X-SPQD*	FS10-16-SPQD*	FS10X-16-SPQD*	FS10-SPQD-NF
	8 ft.	FS8-SPQD*	FS8X-SPQD*	FS8-16-SPQD*	FS8X-16-SPQD*	FS8-SPQD-NF
*SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow						

*SPECIFY FLAG COLOR AFTER MODEL NUMBER: O=Orange, G=Green, Y=Yellow



For accessories, replacement parts and lighting options, see pages 43-47.

LIGHT DUTY WARNING WHIPS

for recreational and light duty applications


LIGHT DUTY WARNING WHIPS include a non-lighted, 7-foot flexible fiberglass whip with an orange flag and threaded hex base mount. Light duty whips are ideal for recreational equipment, and also make great markers for points of interest or caution.

- Seven whip colors to choose from
- Durable nylon-mesh orange flag
- Includes threaded hex mounting base



Model	Color	Description
FSRR7B-HB	BLACK	7 ft. Whip with Flag and Threaded Hex Mounting Base
FSRR7BLU-HB	BLUE	7 ft. Whip with Flag and Threaded Hex Mounting Base
FSRR7G-HB	GREEN	7 ft. Whip with Flag and Threaded Hex Mounting Base
FSRR7O-HB	ORANGE	7 ft. Whip with Flag and Threaded Hex Mounting Base
FSRR7R-HB	RED	7 ft. Whip with Flag and Threaded Hex Mounting Base
FSRR7W-HB	WHITE	7 ft. Whip with Flag and Threaded Hex Mounting Base
FSRR7Y-HB	YELLOW	7 ft. Whip with Flag and Threaded Hex Mounting Base

For accessories, replacement parts and lighting options, see pages 43-47.



WARNING WHIP REPLACEMENT LIGHTS

for General Purpose Lighted Safety Whips with an 1156 Socket

MONSTER LIGHTED WARNING WHIPSTM are available in different lighting options: LED Rocket, LED Glo-WormTM and Traditional Lens Kits. These lighting options are easy to connect and available in five different color options: Amber, Green, Red, Blue and White. Each lighting option works with any Monster Lighted Warning WhipTM with an 1156 socket.

One of the benefits to using Monster Lighted Warning WhipsTM is the ease of changing lighting options. In a matter of minutes you can alter a whip to fit any need that arises for a vehicle.

EASY-TO-INSTALL INTERCHANGEABLE LAMPS

Monster Lighted Whips feature interchangeable LED lights so there is no need to return your whips to the factory for replacement. To replace a light, simply:

1. Slit the heat-shrink tubing
2. Remove the old light
3. Install the new light
4. Reseal with new heat-shrink tubing (included with all new lights)



GLO-WORMTM LIGHTS for General Purpose Lighted Safety Whips with an 1156 Socket

OPTIONS WITH HEAT-SHRINK TUBING FOR GENERAL PURPOSE LIGHTED SAFETY WHIPS WITH AN 1156 SOCKET




GSLED12-6-W



GSLED12-6-A



GSLED12-6-R



GSLED12-6-B



GSLED12-6-G

Model	Color	Volts	Amps	Description
GSLED12-6-W		12	.13	Glo-Worm LED Light, 6 in. Length
GSLED12-6-A		12	.13	Glo-Worm LED Light, 6 in. Length
GSLED12-6-R		12	.13	Glo-Worm LED Light, 6 in. Length
GSLED12-6-B		12	.13	Glo-Worm LED Light, 6 in. Length
GSLED12-6-G		12	.13	Glo-Worm LED Light, 6 in. Length

OPTIONS WITHOUT HEAT-SHRINK TUBING




FSLED12-6-W



FSLED12-6-A



FSLED12-6-R



FSLED12-6-B



FSLED12-6-G

Model	Color	Volts	Amps	Description
FSLED12-6-W		12	.13	Glo-Worm LED Light, 6 in. Length
FSLED12-6-A		12	.13	Glo-Worm LED Light, 6 in. Length
FSLED12-6-R		12	.13	Glo-Worm LED Light, 6 in. Length
FSLED12-6-B		12	.13	Glo-Worm LED Light, 6 in. Length
FSLED12-6-G		12	.13	Glo-Worm LED Light, 6 in. Length

TRADITIONAL LENS KIT for General Purpose Lighted Whips

(Includes lens, chrome lens cap and 12 Volt Lamp)



FS7020-KIT-W



FS7020-KIT-A



FS7020-KIT-R



FS7020-KIT-B



FS7020-KIT-G

KIT COMPONENTS
(All Included)



LAMP, 12 VOLT (1156)




CHROME LENS CAP

Model	Color	Volts	Amps	Description
FS7020-KIT-W		12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp
FS7020-KIT-A		12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp
FS7020-KIT-R		12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp
FS7020-KIT-B		12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp
FS7020-KIT-G		12	.65	Traditional High-Impact Plastic Lens Kit with Lens Cap and Lamp

ACCESSORIES & REPLACEMENT PARTS for warning whips

One of the benefits to using Monster Warning Whips is having the ability to use our wide variety of mounting options that accommodate almost any need you may have. We also offer a full selection of replacement parts.

SPRING MOUNTS



Model	Description
FS7006	Heavy Duty Spring Mount with Bright Zinc Finish for Lighted Models in 3 ft to 8 ft lengths*
FS7006-DUD	Heavy Duty Spring Mount with Bright Zinc Finish for Non-Lighted Models in 3 ft to 8 ft lengths*
FS7006U	Ultra Heavy Duty Spring Mount with Bright Zinc Finish for Lighted Models in 10 ft to 12 ft lengths*
FS7006U-DUD	Ultra Heavy Duty Spring Mount with Bright Zinc Finish for Non-Lighted Models in 10 ft to 12 ft lengths*


*Includes Lock Washer and Jam Nut

ASSORTED MOUNTS

Model	Description
FS7010-1.5	Billet, Fold-Down, Clamp Mount Bracket for 1.5 in. Round Tubing
FS7010-1.75	Billet, Fold-Down, Clamp Mount Bracket for 1.75 in. Round Tubing
FS7012	Aluminum "L" Bracket Mount (Mounting Hardware Included)
FS7014-1.75	Billet, Fold-Down, Clamp Mount Bracket for 1.75 in. Round Tubing
FS7016	Billet, Fold-Down, Tab Mount Bracket
FS7017	12 Ga. Black Powder-Coated Steel, Flat Surface Mounting Bracket
FS7018	Steel Fire Hydrant/Flange Mount with Bright Zinc Finish
FS7019	Aluminum tube style mirror bracket for 1/2 in. to 1 in. OD. (Mounting hardware included)
FS7050	Steel Stake Mount with Bright Zinc Finish
VIATBPH	TEMPORARY mount for truck bed post holes
RRMSW	Aluminum Roof Rack with fold-down mounting bracket with strobe light and 5 ft. Super Whip.
WDRS	Steel Fold Down Whip Retainer Bracket, Black Powder Coated with Three 1/4 in. Universal Mounting Holes. Quickly Fastens Whips Down (Mounting Hardware NOT Included)
TPFLATMOUNT	Flat Mount Bracket with Mounting Holes
VIAMOUNT-F	Steel Quick Release Fold Down Mounting Bracket, Black Powder Coated with Stainless Steel Hardware (Mounting Hardware NOT Included)
VIAMOUNT	Steel "L" Mounting Bracket, Black Powder Coated with Four 1/4 in. Universal Mounting Holes and 1/2 in. Hole for Attaching Whip (Mounting Hardware NOT Included)
VIAMOUNT-S	Steel "L" Mounting Bracket, Black Powder Coated with Four 1/4 in. Universal Mounting Holes and 1/2 in. Slit for Attaching Whip (Mounting Hardware NOT Included)
FS3000	Replacement Compression Hex Base Mount - ONLY for Light Duty Non-Lighted Whips
FS3009LD	Magnetic Mounting Base - ONLY for Light Duty Non-Lighted Whips up to 7 ft.
FS7009	Magnetic Mount Base with Handle
FS7009PCS	Magnetic Mount Base w/ Handle & 7 ft. Coiled Power Cord w/ Switch-On Lighter Plug
FS3009LD	Magnetic Mounting Base - ONLY for Light Duty Non-Lighted Whips up to 7 ft.
FS7009	Magnetic Mount Base with Handle
FS7009PCS	Magnetic Mount Base w/ Handle & 7 ft. Coiled Power Cord w/ Switch-On Lighter Plug




QUICK DISCONNECT PARTS




Model	Description
FSQD-B	Female Quick Disconnect Base Mount with Hot Plug with 12 in. Pigtail and Debris Cap (for Lighted Models)
FSQD-BPT	Female Quick Disconnect Base Mount with 12 in. Pigtail and Debris Cap (for Lighted Models)
FSQDB-DUD	Female Quick Disconnect Base Mount with Debris Cap (for Non-Lighted Models)
FSQD-KIT*	Quick Disconnect Base Mount Kit with Female/Male Components and Debris Cap (for Lighted Models) *Use to convert a Threaded Hex Base Mount into a Male Quick Disconnect
FSQDKIT-DUD*	Quick Disconnect Base Mount Kit with Female/Male Components and Debris Cap (for Non-Lighted Models) *Use to convert a Threaded Hex Base Mount into a Male Quick Disconnect
FSQD-BOOT	Quick Disconnect Protective Boot
FSQDCAP-B	Quick Disconnect Debris Cap Replacement


HITCH MOUNTS




FS7015
2 in. Hitch Mount with Threaded Hex Base (Non-Powered)




FS7015-QD
2 in. Hitch Mount with Female Quick Disconnect Base and Debris Cap (Non-Powered)




FS7015PC
2 in. Hitch Mount with Threaded Hex Base and 24 in. Power Cord with 7-Way Plug



FS7015PC-QD
2 in. Hitch Mount with Female Quick Disconnect Base Mount, Debris Cap and 24 in. Power Cord with 7-Way Plug



FS7015PC-BU
2 in. Hitch Mount with Threaded Hex Base, 24 in. Power Cord with 7-Way Plug and Backup Alarm




FS7015PC-BU-QD
2 in. Hitch Mount with Female Quick Disconnect Base Mount, Debris Cap, 24 in. Power Cord with 7-Way Plug and Backup Alarm



FS7015-PT
2 in. Permanent Hitch Mount for Super Whip and Heavy Duty All Purpose Whip with 7-way Power Crd



TP7015
2 in. Hitch Mount (Non-Powered)



TP7015PC
2 in. Hitch Mount with 24 in. Power Cord with 7-Way Plug





TP7015PC-BU
2 in. Hitch Mount with 24 in. Power Cord with 7-Way Plug and Backup Alarm

EXTENSIONS for warning whips



Model	Description
FSEXT-6	6 ft. Whip Extension with Threaded Hex Base and Hot Plug
FSEXT-5	5 ft. Whip Extension with Threaded Hex Base and Hot Plug
FSEXT-4	4 ft. Whip Extension with Threaded Hex Base and Hot Plug
FSEXT-3	3 ft. Whip Extension with Threaded Hex Base and Hot Plug
FSEXT-6-DUD	6 ft. Whip Extension with Threaded Hex Base (Non-Powered)
FSEXT-5-DUD	5 ft. Whip Extension with Threaded Hex Base (Non-Powered)
FSEXT-4-DUD	4 ft. Whip Extension with Threaded Hex Base (Non-Powered)
FSEXT-3-DUD	3 ft. Whip Extension with Threaded Hex Base (Non-Powered)

MISC. PARTS for lighted warning whips



Model	Description
FS7008	Easy Mount Adapter with 12 in. Hot Wire Pigtail
FS7008-2	Easy Mount Adapter with 12 in. Hot Wire and Ground Wire Pigtails
FS9026	Hot Plug
FS9028	Hot Plug with 12 in. Hot Wire Pigtail
TP9028	Hot Plug with Debris Cap and 12 in. Pigtail
FSWPPG	Waterproof Hot Plug with 12 in. Hot Wire Pigtail
ZFLENS-RKT-C-4	Replacement Lens for Rocket II LED Super Bright Lights
05.WL.4LED.*	Replacement Board for Rocket II LED Super Bright Lights
*REFERENCE PAGE 37 FOR LED LIGHT COLOR OPTION CODES	

REPLACEMENT FLAGS

Heavy duty Day BrightTM fluorescent nylon mesh flag with 3M[®] Scotchlite[®] reflective X for All-Purpose Warning WhipsTM Heavy Duty Whips. Available in two sizes, three colors, and with the option of a white or yellow 3M[®] Scotchlite[®] reflective X. Mounting clips included.



Orange Flag
12 in. x 11 in. or
16 in. x 16 in.



**Orange Flag
with White X**
12 in. x 11 in. or
16 in. x 16 in.



**Orange Flag
with Yellow X**
12 in. x 11 in. or
16 in. x 16 in.



Green Flag
12 in. x 11 in. or
16 in. x 16 in.



**Green Flag
with White X**
12 in. x 11 in. or
16 in. x 16 in.



**Green Flag
with Yellow X**
12 in. x 11 in. or
16 in. x 16 in.



Yellow Flag
12 in. x 11 in. or
16 in. x 16 in.



**Yellow Flag
with White X**
12 in. x 11 in. or
16 in. x 16 in.




**Yellow Flag
with Yellow X**
12 in. x 11 in. or
16 in. x 16 in.



FSAF
Plastic-Coated,
Nylon Mesh, Double Sided,
Reflective American Flag
17 in. x 13 in.
Made in the USA



FS3007
Orange, Plastic-Coated
Nylon Mesh Flag for Light
Duty Whips
11.5 in. x 7.25 in.
with Mounting Clips



Nylon Mesh Pattern

Type of Flag	12 in. x 11 in.	12 in. x 11 in. with White X	12 in. x 11 in. with Yellow X	16 in. x 16 in.	16 in. x 16 in. with White X	16 in. x 16 in. with Yellow X
Orange	FS9024-O	FS9025-O	FS8025-O	FS9024-16-O	FS9025-16-O	FS8025-16-O
Green	FS9024-G	FS9025-G	FS8025-G	FS9024-16-G	FS9025-16-G	FS8025-16-G
Yellow	FS9024-Y	FS9025-Y	FS8025-Y	FS9024-16-Y	FS9025-16-Y	FS8025-16-Y


WING WHIPS

designed to protect your aircraft's scimitars

Airlines have introduced "split scimitar" winglets into passenger service. The redesign now includes a downturned tip in addition to the traditional upturned wingtip that further reduces drag. This new split scimitar winglet design reduces fuel burn by up to 2%. The addition of the scimitar has caused some safety issues on the tarmacs however. With baggage handlers and vehicles oftentimes having to maneuver under the wings, the scimitar has reduced clearance height. This has caused Checkers to introduce the Wing Whip!

The Wing Whip was designed to be placed under the wingtip to protect the scimitars on aircrafts from damage by passing vehicles. The whip stands 7 ft. tall with two brightly colored whips held in a V shaped pattern underneath the scimitar by the patent-pending Wing Whip Bracket. The bracket was designed to fit a standard delineator with a 16 lb. base (30 lb. base option available for windy locations).

- Each Wing Whip is equipped with flags with reflective X's that allows optimal functionality day and night
- The Wing Whip sits at the eye level of a ground vehicle driver to allow maximum visibility
- Manufacturer recommends two units per wing for maximum safety and visibility
- Deters ground vehicles from entering problematic areas
- Avoids hundreds of thousands of dollars in repairs to the wing of the aircraft
- Helps to maintain airline efficiency by keeping all scheduled aircraft operational and on-time



Part Number	DELF30BWUNI
Width	49.96 in. (126.9 cm)
Height	88.76 in. (225.45 cm)
Depth	18 in. (45.72 cm)
Flag Angle	30° in.
Weight	20 lb. (9.07 kg)



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

MONSTER™

620 Compton St.
Broomfield, CO 80020

PHONE: (800) 438-9336

FAX: (720) 890-4858

EMAIL: sales@checkers-safety.com

www.monster-safety.com



A PRODUCT OF:



For more information, visit: www.checkers-safety.com

Checkers Safety Group® is committed to providing revolutionary product designs and visionary safety solutions that protect people, assets, and the environment.

CHECKERS' FAMILY OF BRANDS:

